

One of the first things to consider is the location of the mineral feeders with respect to water sources . Moving mineral feeders further away from water or creeks often helps to decrease mineral intake. Managing mineral intake in dry lot locations can be very difficult, as cattle sometimes consume mineral simply because they are bored. In dry lot situations, it may be necessary to provide mineral on a daily basis. A final thought regarding excessive mineral consumption... if dry matter intake is limited, cattle will eat just about anything. Make certain that your cows are getting enough to eat and that the feed is palatable. In situations where the feed is course, rank or spoiled, cattle will often over-consume any supplemental feed offered.

Before making any changes, calculate mineral consumption and confirm your suspicions. Intake by 100 head over 7 days. (bags weigh 50 lb)

1 oz	44 lb.	<1bag
2 oz	88 lb.	2+bags
4 oz	167 lb.	3+bags
8 oz	350 lb.	7bags
1 lb.	700 lb.	14bags
2 lb.	1400 lb.	28 bags
4 lb.	2800 lb.	56 bags
5 lb.	3500 lb.	70 bags

**Focused On The Safety,
Wholesomeness And
Quality Of Beef**

Belize Range Mineral

GUARENTEED ANALYSIS

CALCIUM(Ca)	(max)	15.00%
CALCIUM(Ca)	(min)	13.00%
PHOSPHORUS(P)	(min)	6.00%
SALT(NaCl)	(max)	17.00%
SALT(NaCl)	(min)	15.00%
POTASSIUM(K)	(min)	0.05%
SULFUR(S)	(min)	3.00%
IRON(Fe)	(min)	0.40%
COBALT(Co)	(min)	25 ppm
COPPER(Cu)	(min)	2,500 ppm
IODINE(I)	(min)	42 ppm
MANGANESE(Mn)	(min)	1,750 ppm
SELENIUM(Se)	(min)	28 ppm
ZINC(Zn)	(min)	1,900 ppm
VITAMINA	(min)	300,000 IU/lb
VITAMIN D3	(min)	50,000 IU/lb
VITAMINE	(min)	100 IU/lb

INGREDIENTS

Monocalcium Phosphate, Dicalcium Phosphate, Calcium Carbonate, Salt, Magnesium Sulfate, Potassium Sulfate, Sodium Selenite, Cobalt Sulfate, Copper Proteinat, Zinc Sulfate, Iron Sulfate, Iron Oxide (coloring agent), Manganous Oxide, Magnesium Oxide, Calcium Iodate, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E supplement, Rice Mill By-Product (vitamin carrier), Cane Molasses.

FEEDING DIRECTIONS

Feed free-choice. Keep before animals at all times. Consumption for mature cattle may range between 3 to 4 ounces per head per day. Place in clean feeders or troughs near normal watering or loafing areas.



Belize Range Minerals

**For Healthy
Immune
Response and
Maximum
Reproduction**

Reimers Feed Mill

**Spanish Lookout Belize
City, Belize, C.A.**

Tel: (501) 823-0105

Fax: (501) 823-0229

Email: sales@reimersfeed.com

www.reimersfeed.net/aboutus